







Berker Q.3 Frames

Entirely different from its sister product range: whereas Q.1 has softer contours, Q.3 focuses on clear edges. With the right-angled borders, its frames harmonise excellently with the architecture of modern buildings. What's more, they are ideally suited for installation in sill-type bunking ducts. The frames of the Q.3 range are available in polar white or anthracite, as well as 1gang to 5gang models, and are also available with a large cut-out. A selection of polar white frames is also available with a labelling field.



Berker Q.3

Product examples



Dimensions

Frame 1gang
B 80.5 mm x H 80.5 mm, 1gang

Frames 2-5gang, horizontal
W 151.5 x H 80.5 mm, 2gang
W 222.5 x H 80.5 mm, 3gang
W 293.5 x H 80.5 mm, 4gang
W 364.5 x H 80.5 mm, 5gang

Frames 2-5gang, vertical
H 151.5 x W 80.5 mm, 2gang
H 222.5 x W 80.5 mm, 3gang
H 293.5 x W 80.5 mm, 4gang
H 364.5 x B 80.5 mm, 5gang





Frames

Plastic, silky

polar white	similar to RAL 9010*
anthracite, lacquered	similar to RAL 7021
red	similar to RAL 3003
green	similar to RAL 6029
orange	similar to RAL 2003

* Note:


Our rockers, which are manufactured from thermosetting plastic, except for printed and painted areas and lenses, have an anti-bacterial action as documented by Test Report 4207318-01 from the Fresenius Institute. This has been verified and confirmed using tests similar to ISO22196 and JIS-Z-2801. The test report is available on request.

Covers / Central inserts

Plastic, silky

polar white	similar to RAL 9010
anthracite, lacquered	similar to RAL 7021
red	similar to RAL 3003
green	similar to RAL 6029
orange	similar to RAL 2003





RA 1F Q3 ANTH (DUROPLAST)

10116096

Architecture

Technical version	1 gang
-------------------	--------

Materials

RAL colour	RAL 7021 - Black grey
Colour of design line	anthracite
Colour	anthracite charcoal grey
Material / workmanship	lacquered
Material	duroplastic
Surface appearance	velvety

Dimensions

Height	80,5 mm
Width	80,5 mm

Installation, mounting

- for vertical and horizontal mounting
- clamp fastening

Identification

Main design line	Berker Q.3
------------------	------------



Rocker 1G Anthracite Velvety, Lacquered

16206086

Controls and indicators

- also for KNX applications: push-button, 1 gang, and group push-button, 1 gang
- for rocker push-buttons
- for change-over/intermediate switch

Materials


RAL colour	RAL 7021 - Black grey
Colour of design line	anthracite
Colour	anthracite charcoal grey
Material / workmanship	lacquered
Material	duroplastic
Surface appearance	velvety

Installation, mounting

- clamp fastening

Identification

Application, usage	Flush-mounted wet-room installation, Light control, KNX - operating systems
Main design line	Berker Q.1/Q.3/Q.7/Q.9
Secondary design line(s)	Berker Q.3, Berker Q.1



rocker switc change-over Module insert

3036

Configuration

- Off/change-over

Controls and indicators

- No

Main electrical features

Rated voltage 250 V AC

Electric current

Switching current 10 AX

Materials

Material Plastic/metal
Surface appearance matt

Dimensions

Depth 42 mm
Insertion depth 31 mm
Height 71 mm
Width 71 mm

Installation, mounting

- with spreader claws
- for screw fastening

Connection

Connection terminals according to IEC 60669-1
Connection terminals according to VDE 0632-1
- with plug-in terminals

Equipment

- for lighting and monitoring circuit

Safety

Protection index IP IP20

Identification

Application, usage	HVAC control, Light control
Main design line	Light control
Appliance switch type	No
