



IP65

EIVA SYSTEM





The outdoor system by Creative-Cables

**EIVA: the first do-it-yourself  
IP65 Outdoor lighting system.**

Water has never been a natural environment for light.  
Until today.  
Create your own water, rain and storm resistant lamp  
with guaranteed Creative-Cables quality.

**PATENTED SOLUTION.  
MADE IN ITALY.**



**EIVA SYSTEM**



**IP65: WATER AND RAIN RESISTANT**

The heart of EIVA is the world's first wired E27 IP65 lamp holder: thanks to the insulating gel inside and a watertight membrane on the bulb, this lamp holder withstands rain and storms in complete safety.

**INSULATING GEL**  
**MEMBRANE GRIPPING THE BULB**

**PASTEL**



**ELEGANT**



**FOR LAMPSHADES**



**DESIGNED FOR OUTDOOR,  
PERFECT FOR INDOOR.**  
The EIVA lighting system  
is designed, engineered and  
patented by Creative-Cables and will  
allow you to illuminate outdoor spaces  
like gardens, patios and terraces but  
also as lighting solution for  
the bathroom, without having to worry  
about water splashes.





EIVA components

Configure and complete your EIVA system: choose the version of E27 lamp holder that best suits your needs, naked or with soft touch silicone cover, match the silicone soft touch ceiling rose in the color you prefer and complete your outdoor lighting with Creative-Cables outdoor cables, lampshades, accessories and light bulbs.



- KEIVAPASAL
- KEIVAPASAL
- KEIVAPAVE
- KEIVAPAMU

- KEIVAELO1BI
- KEIVAELO1NE
- KEIVAELO1GG
- KEIVAELO1PE

- KEIVAELO2BI
- KEIVAELO2NE

- KEIVAROSBI
- KEIVAROSNE
- KEIVAROSGG
- KEIVAROSPE
- KEIVAROSVE
- KEIVAROSSAL
- KEIVAROSSB
- KEIVAROSMU


PL27PNEIVA



Outdoor EIVA cables

2x1.00 fabric covered, H05RN-F rubber cable. Diameter 7,6mm 2x1,00.  
Legal reference EN 50525-2-21. European Low Voltage Directive N. 2014/35/UE.  
  
Flexible class 5 conductor in electrolytic red copper, in compliance with IEC 60228.  
Isolation Elastomeric rubber EI 4 in compliance with EN 50363-1.  
Insulation color in accordance with HD 402 and EN 50525-1 requirements.  
External elastomeric rubber sheath in accordance with EN 50363-2-1.  
Sheath coloured black.  
This product is in compliance with all Italian and European safety regulations.

IEMMEQU HAR  
CA01.00683





EIVA lamps

With EIVA lamps you can finally change the look of your outdoor spaces with the safety of a water resistant product which is Made in Italy. The soft touch silicone finishes and matching cable are perfect to re-create an elegant and contemporary design in your outdoor spaces, lighting pergolas and gazebos. Choose among the available versions the one that best suits your needs: with lampshade, for exposed light bulb, suspended or wall fixed and enjoy your outdoor spaces!

Fermaluce



Max L 390 mm, Max H 400mm

- adjustable  
Tilted up to 90° & rotated by 315°
- APE2TBSNEPAM05VN
  - APE2TBSNEPAM05GO
  - APE2TBSNEPAM05RA



Max L 390 mm, Max H 400mm

- adjustable  
Tilted up to 90° & rotated by 315°
- APE2TBSNEPAM06VN
  - APE2TBSNEPAM06GO
  - APE2TBSNEPAM06RA



L 390 mm, H 260 mm

- APE2NEPAM13VNL
- APE2NEPAM13VNL
- APE2NEPAM13VRL



L 195 mm, H 255 mm

- APE2PE
- APE2NE
- APE2GG
- APE2PE



Max L 205 mm, Max H 255 mm

- adjustable  
Tilted up to 90° & rotated by 315°
- APE2TBSBI
  - APE2TBSNE

Suspension Lamps



Ø max 125 mm, cable lenght 1500 mm

- PDEBIEL0115SM01
- PDENEEL0115SM04
- PDEGGEL0115SN02
- PDEPEEL0115SM01



Ø max 125 mm, cable lenght 5000 mm

- APE2PE
- APE2NE
- APE2GG
- APE2PE



Ø max 125 mm, cable lenght 1500 mm

- PDEBI15SM01
- PDENE15SM04
- PDEGG15SN02
- PDEPE15SM01
- PDEVE15SX08
- PDESAL15SN02
- PDESB15SN02
- PDEMU15SN06



Ø max 125 mm, cable lenght 1500 mm

- PDEVEPA15SX08
- PDESALPA15SN02
- PDESBPA15SN02
- PDEMUPA15SN06



Ø max 400 mm, cable lenght 5000 mm

- PDEBIEL0250SM01DDBIA
- PDENEEL0250SM04DDNER
- PDENEEL0250SM04DDRASOTS
- PDEBIEL0250SN02DDTIS



Ø max 125 mm, cable lenght 5000 mm

- PDEBI50SM01
- PDENE50SM04
- PDEGG50SN02
- PDEPE50SM01
- PDEVE50SX08
- PDESAL50SN02
- PDESB50SN02
- PDEMU50SN06



Ø max 125 mm, cable lenght 5000 mm

- PDEVEPA50SX08
- PDESALPA50SN02
- PDESBPA50SN02
- PDEMUPA50SN06



Ø max 300 mm, cable lenght 5000 mm

- PDENE50SM01PAM11VBL
- PDENE50SM04PAM11VNL
- PDENE50SX08PAM11VVL



COPYRIGHT BY CREATIVE-CABLES S.P.A.  
IT IS FORBIDDEN TO COPY THE CATALOGUE, EVEN PARTIALLY.

In the ongoing search for technical and functional improvements, Creative-Cables reserves the right to make changes, substantial or not, to its products, which may be put into effect without prior notice.

The images and the colours are provided for general information purposes only and are not binding for Creative-Cables.

Creative-Cables  
Lungo Dora Pietro Colletta 113/9  
10153, Turin (TO) - Italy  
VAT number: IT09813270015  
[www.creative-cables.com](http://www.creative-cables.com)  
For Enquiries: +39 011-835037  
[info.b2b@creative-cables.com](mailto:info.b2b@creative-cables.com)