

EDGES

WARMING YOUR STYLISH LIVING


Plisset

Plisset

with an unusual shape. The right combination of practicality, design and thermal power. In the low version it is embellished with an extruded aluminum cover.



Plisset



codice code	versione feeding	n numero elementi elements number	H	L	i	Qs(w)		peso a vuoti weight empty (kg)	contenuto d'acqua water content (lit)
			altezza height (mm)	larghezza width (mm)	interasse center to center distance (mm)	resa termica thermal yield Dt 30°C	Dt 50°C		
615.1.060005.22		5	639	395	800	305	585	5,6	1,6
615.1.060006.22		6		474		366	702	6,7	2,0
615.1.060007.22		7		553		427	819	7,8	2,3
615.1.060008.22		8		632		488	936	9,0	2,6
615.1.060009.22		9		711		549	1053	10,1	3,0
615.1.060010.22		10	790	610	1170	11,2	3,3		
615.1.080003.22		3	839	237	800	231	450	4,3	1,3
615.1.080004.22		4		316		308	600	5,7	1,7
615.1.080005.22		5		395		385	750	7,1	2,1
615.1.080006.22		6		474		462	900	8,5	2,5
615.1.080007.22		7		553		539	1050	10,0	2,9
615.1.080008.22		8		632		616	1200	11,4	3,3
615.1.080009.22		9		711		693	1350	12,8	3,8
615.1.080010.22		10		790		770	1500	14,2	4,2
615.1.180003.22		3	1826	237	1800	456	897	8,8	2,6
615.1.180004.22		4		316		608	1196	11,8	3,5
615.1.180005.22		5		395		760	1495	14,7	4,4
615.1.180006.22		6		474		912	1794	17,7	5,2
615.1.180007.22		7		553		1064	2093	20,6	6,1
615.1.180008.22		8	632	1216	2392	23,5	7,0		
615.1.200003.22		3	2026	237	2000	477	981	9,7	2,9
615.1.200004.22		4		316		636	1308	13,0	3,8
615.1.200005.22		5		395		795	1635	16,2	4,8
615.1.200006.22		6		474		954	1962	19,5	5,8
615.1.200007.22		7		553		1113	2289	22,7	6,7
615.1.200008.22		8	632	1272	2616	26,0	7,7		

* Larghezza del collettore per la definizione dell'interasse nel caso di allacci 8/9/E/F: -10 mm rispetto alla larghezza (L)
















* Collector width for defining the interaxis in the case of 8/9/E-/F connections: -10 mm compared to the width (L)

Accessori

Accessories

valves, Detentori E Gruppi Valvola/Detentore


Valves, Lockshields Ans Valve/Lockshield Assemblies

codice . code	Descrizione>Description
	Gruppo valvola termostattabile/detentore, interasse 50 mm, per tubi rame, multistrato o ferro, impianti bitubo o monotubo, finitura nichelato e cromo Valve/lockshield assembly suitable for thermostat control, 50 mm spaced connections, for copper, multilayer or iron pipes, for double pipe/single pipe plants, Nickel plated and chrome finish
220.23	Gruppo reversibile / reversible assembly
	Valvola termostattabile a squadra a comando verticale, cromata, compatibile con raccordi per tubi rame, multistrato e ferro, per impianti bitubo Angle valve suitable for thermostat control, with vertical control, chromed, for copper, multilayer or iron pipes, for double pipe plants
211.321	Valvola sinistra da combinare con detentore destro (cod. 214.301) / Left valve to combine with right lockshield (cod. 214.301)
212.321	Valvola destra da combinare con detentore sinistro (cod. 213.301) / Right valve to combine with left lockshield valve (cod. 213.301)
	Gruppo valvola termostattabile/detentore cromato, interasse 50 mm, compatibile con raccordi per tubi rame, multistrato e ferro, per impianti monotubo e bitubo Valve/lockshield assembly suitable for thermostat control, chromed, 50 mm spaced connections, for copper, multilayer or iron pipes, for double pipe plants
201.31	Gruppo con ingresso SX, uscita basso / Assembly with left-side inlet, bottom outlet
202.31	Gruppo con ingresso DX, uscita basso / Assembly with right-side inlet, bottom outlet
	Detentore a squadra a comando verticale, cromato, compatibile con raccordi per tubi rame, multistrato e ferro, per impianti bitubo Angle lockshield with vertical control, chromed, for copper, multilayer or iron pipes, for double pipe plants
213.301	Detentore con comando SX, uscita alto / Lockshield with left-side knob, top outlet
214.301	Detentore con comando DX, uscita alto / Lockshield with right-side knob, top outlet
	Gruppo valvola termostattabile/detentore a squadra, raccordo e diaframma, per tubi rame, multistrato o ferro int. 40, impianti monotubo o bitubo, finitura cromo Angle valve/lockshield assembly suitable for thermostat control, chromed, 40 mm spaced connections, for copper and multilayer pipes for double pipe plants
111.301	Gruppo con ingresso SX, uscita alto completo di sonda / Assembly with left-side inlet
113.301	Gruppo con ingresso DX, uscita alto completo di sonda / Assembly with right-side inlet
	Gruppo valvola termostattabile/detentore dritto, completo di sonda, raccordo e diaframma, per tubi rame, multistrato o ferro int. 40, impianti monotubo o bitubo Angle valve/lockshield assembly for mono-pipe plants, suitable for thermostatic control, chromed, 40 mm spaced connections completed with inner tube, nozzle and diverter for copper, multilayer and iron pipe
114.301	Finitura cromo / Chrome finish
	Gruppo valvola termostattabile/detentore dritto, completo di sonda, raccordo e diaframma, per tubi rame, multistrato o ferro int. 35, impianti monotubo Straight valve/lockshield assembly suitable for thermostat control, chromed, 35 mm spaced connections, for copper, multilayer or iron (if available) pipes for single pipe plants
112.311	Finitura cromo / Chrome finish
	Valvola dritta termostattabile, cromata, per impianti bitubo Straight valve suitable for thermostat control, chromed, for double pipe plants
107.103	Valvola per tubi rame, multi strato o ferro / Valve for copper, multilayer or iron pipes connection
codice . code	Descrizione>Description
	Detentore dritto, cromato, per impianti bitubo Straight lockshield suitable for thermostat control, chromed, for double pipe plants
108.103	Detentore per tubi rame, multistrato o ferro / Lockshield for copper, multilayer or iron pipes connection
	Valvola a squadra termostattabile, cromata, per impianti bitubo Angle valve suitable for thermostat control, chromed, for double pipe plants
106.103	Valvola per tubi rame, multi strato o ferro / Valve for copper, multilayer or iron pipes connection
	Detentore a squadra cromato per impianti bitubo Angle lockshield suitable for thermostat control, chromed, for double pipe plants
102.103	Detentore per tubi rame, multistrato e ferro / Lockshield for copper, multilayer or iron pipes connection
	Gruppo valvola remoto termostattabile con attacchi 1/2" F, per impianti bitubo/monotubo, finitura cromo Remote manual valve/lockshield assembly suitable for thermostat control with connections 1/2" F, for double/single pipes plant, chrome finish
205.21	Gruppo manuale / Remote manual
	Kit valvola combinata per scaldasalviette ov- al bath / cu-al bath - round al bath per installazione resistenza assiale (versione mista) Valve kit combined for towel warmers ov- al bath / cu-al bath - round al bath for axial resistance installation (hybrid version)
205.51	Gruppo con ingresso SX / Assembly with left-side inlet
205.52	Gruppo con ingresso DX / Assembly with right-side inlet
	Valvola manuale e detentore ad angolo, cromata, per impianti bitubo Angle manual valve and lockshield, chromed, for double pipe plants
151.101	Consigliata per Cubal Bath, Fino e Collezione Piano / Suggested for Cubal Bath, Fino and Piano Collection
	Valvola manuale dritta e detentore, cromata, per impianto bitubo Straight manual valve or lockshield, chromed for double pipe plants
152.101	Consigliata per Cubal Bath, Fino e Collezione Piano / Suggested for Cubal Bath, Fino and Piano Collection

Finiture Finishes

Colori Disponibili . Colors Available

FINITURE BASE . BASIC FINISHES



FINITURE DISPONIBILI A RICHIESTA . FINISHES AVAILABLE ON REQUEST


19 VERNICIATURE RAL . RAL PAINTS



I RAL sono considerati LUCIDI
RAL are considered GLOSSY

+15% sul prezzo standard / +30% per RAL opachi o non presenti a catalogo
+15% on standard price / +30% for matt or not in the catalog RAL

20 FINITURE E VERNICIATURE SPECIALI . FINISHES AND SPECIAL PAINTS



+20% sul prezzo standard / +20% on standard price

FINITURE SPECIALI . Special Finishes



Vedere sovrapprezzo nelle schede tecniche / See price on the technical sheets

40 FINITURE ANODIZZATE METALLIZZATE A CATALOGO . METALLIC ANODIZED FINISHES ON CATALOGUE

Solo per modelli ROUND-AL BATH, CUBE-AL BATH, OV-AL BATH, TOWEL BAR, OV-AL SLIM, OV-AL HORIZONTAL
Only for models ROUND-AL BATH, CUBE-AL BATH, OV-AL BATH, TOWEL BAR, OV-AL SLIM, OV-AL HORIZONTAL



+40% sul prezzo standard
+40% on standard price



+2 0110 177 7751

www.EdgesHeating.com

Infor@solaredges.com

2 Ext 26 July St . Lebnan Sq .

El Hawary Tower , Mohandessin

Giza 12654 - Egypt



@EdgesSolar



@Edges Heating Systems & Solar Energy



www.EdgesHeating.com