

# Product data sheet

Specifications



## Data socket, New Unica, mechanism, RJ45, STP, straight, click, shuttered, white

NU341718

### Main

|                           |                                   |
|---------------------------|-----------------------------------|
| Range                     | New Unica                         |
| Product or component type | Data socket                       |
| Device application        | Communication                     |
| Device presentation       | Mechanism                         |
| Colour tint               | White (RAL 9003)                  |
| Data socket type          | RJ45 8 contact(s) Cat.6 < 250 MHz |
| Provided equipment        | Protective flap<br>Label holder   |

### Complementary

|                               |   |
|-------------------------------|---|
| Communication network type    | 1000BASE-TX   |
| Communication port protocol   | ATM 1200 Mbps   |
| Number of modules             | 2 modules   |
| Socket number                 | 1   |
| Type of footprint             | Infraplus   |
| Connector type                | S-One   |
| Cable shielding type          | STP   |
| Organization of wire          | Shielded twisted pair   |
| Connections - terminals       | Click   |
| Device mounting               | Flush   |
| Fixing mode                   | Clip-in   |
| Installation direction        | Straight  |
| Material                      | Thermoplastic ABS-UV stabilised: central plate  |
| Depth                         | 40.5 mm   |
| Width                         | 45 mm   |
| Height                        | 45 mm   |
| Embedding depth               | 40.5 mm   |
| Resistance to chemical agents | Resistant to alcohol (70 %)<br>Resistant to alcohol (96 %)<br>Resistant to A-Lactic Acid<br>Resistant to diluted quaternary ammonium<br>Resistant to diluted bleach |

Resistant to diluted ammonia  
 Resistant to soapy water  
 Resistant to crystal cleaner  
 Resistant to hydrogen peroxide 10 volumes  
 Resistant to hexane

## Environment

|                                       |             |
|---------------------------------------|-------------|
| IP degree of protection               | IP20        |
| IK degree of protection               | IK01        |
| Ambient air temperature for operation | -25...55 °C |
| Ambient air temperature for storage   | -25...55 °C |

## Packing Units

|                              |          |
|------------------------------|----------|
| Unit Type of Package 1       | PCE      |
| Number of Units in Package 1 | 1        |
| Package 1 Height             | 4.1 cm   |
| Package 1 Width              | 4.5 cm   |
| Package 1 Length             | 4.5 cm   |
| Package 1 Weight             | 45.0 g   |
| Unit Type of Package 2       | BB1      |
| Number of Units in Package 2 | 10       |
| Package 2 Height             | 6.0 cm   |
| Package 2 Width              | 14.0 cm  |
| Package 2 Length             | 26.0 cm  |
| Package 2 Weight             | 524.0 g  |
| Unit Type of Package 3       | S03      |
| Number of Units in Package 3 | 100      |
| Package 3 Height             | 30.0 cm  |
| Package 3 Width              | 30.0 cm  |
| Package 3 Length             | 40.0 cm  |
| Package 3 Weight             | 5.693 kg |

## Offer Sustainability

|                            |   |
|----------------------------|---|
| Sustainable offer status   | Green Premium product   |
| REACH Regulation           | <a href="#">REACH Declaration</a>   |
| REACH free of SVHC         | Yes   |
| EU RoHS Directive          | Compliant<br><a href="#">EU RoHS Declaration</a>  |
| Toxic heavy metal free     | Yes   |
| Mercury free               | Yes   |
| China RoHS Regulation      | <a href="#">China RoHS declaration</a><br>Pro-active China RoHS declaration (out of China RoHS legal scope)                 |
| RoHS exemption information | <a href="#">Yes</a>   |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>   |
| WEEE                       | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

**Recommended replacement(s)**