



Data socket, New Unica, mechanism, RJ45, STP, straight, click, shuttered, anthracite

NU341654

M	aı	n

Range	New Unica
Product or component type	Data socket
Device application	Communication
Device presentation	Mechanism
Colour tint	Anthracite (RAL 7021)
Data socket type	RJ45 8 contact(s) Cat.6 < 250 MHz
Provided equipment	Label holder Protective flap

Complementary

Communication network type	1000BASE-TX
Communication port protocol	ATM 1200 Mbps
Number of modules	1 module
Socket number	1
Type of footprint	Infraplus
Connector type	S-One
Cable shielding type	STP
Organization of wire	Shielded twisted pair
Connections - terminals	Click
Device mounting	Flush
Fixing mode	Clip-in
Installation direction	Straight
Material	Thermoplastic ABS-UV stabilised: central plate
Depth	40.5 mm
Width	22.5 mm
Height	45 mm
Embedding depth	40.5 mm
Resistance to chemical agents	Resistant to alcohol (70 %) Resistant to alcohol (96 %)

Resistant to A-Lactic Acid
Resistant to diluted quaternary ammonium

Resistant to diluted quaternary ammoniur

Resistant to diluted bleach

Resistant to diluted ammonia Resistant to soapy water Resistant to crystal cleaner Resistant to hydrogen peroxide 10 volumes Resistant to hexane

		•			•
_	nvi	-	-	~~	-
_	111/1				
_		$\cdot \cdot \cdot$		-	

IP degree of protection	IP20
IK degree of protection	IK01
Ambient air temperature for operation	-2555 °C
Ambient air temperature for storage	-2555 °C

Packing Units

Facking Offics	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.2 cm
Package 1 Width	4.0 cm
Package 1 Length	4.5 cm
Package 1 Weight	40.0 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	6.0 cm
Package 2 Width	14.5 cm
Package 2 Length	26.0 cm
Package 2 Weight	487.0 g
Unit Type of Package 3	S03
Number of Units in Package 3	100
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	5.304 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Recommended replacement(s)