



# USB, New Unica, 1 module, Type A +C,12W, aluminium

NU301630

***

Range	New Unica
Product or component type	USB charger
Device presentation	Mechanism
Condition of use	Indoor

#### Complementary

o op. o o o y	
Device application	Charger
Device mounting	Flush
Number of modules	1 module
Type of USB power supply	USB type A + C
Colour tint	Aluminium
[Ue] rated operational voltage	100240 V AC 50/60 Hz
Nominal output power	12 W
Socket number	2
Integrated connection type	1 USB type A 5 V DC, maximum load current: 1 A 1 USB type C 5 V DC, maximum load current: 2.4 A
Material	PC (polycarbonate) GF10 FR Thermoplastic ABS-UV stabilised
Number of terminals	2 screw terminals
Shape of screw head	Pozidriv No 1
Clamping connection capacity	1.52.5 mm² for rigid cable(s) 1.52.5 mm² for flexible cable(s)
Height	45 mm
Width	22.5 mm
Depth	39 mm
Resistance to chemical agents	Resistant to alcohol (70 %) Resistant to alcohol (96 %)

Resistant to A-Lactic Acid

Resistant to diluted quaternary ammonium Resistant to diluted bleach

Resistant to diluted ammonia Resistant to soapy water Resistant to crystal cleaner

Resistant to hydrogen peroxide 10 volumes

Resistant to hexane

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.2 cm
Package 1 Width	4.3 cm
Package 1 Length	4.5 cm
Package 1 Weight	32.0 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	5.5 cm
Package 2 Width	14.0 cm
Package 2 Length	26.0 cm
Package 2 Weight	405.0 g
Unit Type of Package 3	S03
Number of Units in Package 3	100
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	4.491 kg

## Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

#### Recommended replacement(s)